

TerraTrack[®]
Plus

ANTI-DETRACING TECHNOLOGY



**UNDERCARRIAGE AND WEAR PARTS
FOR CONSTRUCTION EQUIPMENT**



TerraTrack[®] Plus

PREMIUM QUALITY

Toughened steel links linked by continuously wound anti-rust high tensile steel cords encased in an advanced abrasion-resistant rubber carcass.

ADVANCED DESIGN

Progressive engineering and design features offer increased durability and performance.

ANTI-DETRACKING


Interlocking steel link features prevent detracking issues even when used on demanding terrains.

ANTI-VIBRATION

Advanced steel link design ensures smooth running of track rollers and offers increased operator comfort.

TRACK DIMENSIONS

SIZE	A	B	C	D	E
230 x 48A	24	70	24	25	20
230 x 48K	24	66	21	20	20
300 x 52.5N	30	82	25	18	20
300 x 52.5W	45	94	22	23	20
300 x 53K	31	80	25	18	20
350 x 75.5Y	37	98	25	25	25
400 x 72.5N	38	98	23	25	25
400 x 72.5W	51	108	26	24	25
400 x 72.5R	46	118	24	24	25
400 x 75.5Y	39	100	25	26	25
450 x 71	43	115	30	17	30
450 x 76	48	120	31	25	25
450 x 81N	42	114	24	22	25
450 x 81W	58	128	29	32	25
450 x 81.5	42	110	32	28	26
450 x 83.5K	42	110	25	26	25
450 x 83.5Y	40	112	24	27	25



KEY BENEFITS

TRACK LONGEVITY



DURABILITY



ANTI-DETRACKING PERFORMANCE



OPERATOR COMFORT



ANTI-DETRACKING TECHNOLOGY




CONTINUOUS
STEEL
CORDS



PREMIUM
GRADE
RUBBER
COMPOUND



ADVANCED
ENGINEERING



INTERLOCKING
LINK DESIGN



TOUGHENED
STEEL LINKS




UNIQUE
TREAD
DESIGN



VIBRATION TEST

TERRATRACK PLUS STANDARD TRACK





FOR THE BEST ON EARTH



Astrak UK Ltd
Wheatfield Road
Dunnikier Business Park
Kirkcaldy KY1 3PD
T. 0330 555 2000
E. uk@astrakgroup.com
www.astrakgroup.co.uk

ASTRAK Ireland
52 Chancellors Rd
Newry
BT35 8PX
T. + 44 (0) 28 3083 4888
E. ireland@astrakgroup.com
www.astrakgroup.ie



OFFICIAL
UK DEALER

